

Ultimate

Switch and socket plates made from stainless steel, with the most stylish finishes offered on the market today. Available in almost any painted colour or premium finish such as stainless steel, polished chrome, bronze, brass and black or pearl nickel. The super low-profile metal switch plates have no exposed screws for a smooth and sleek appearance.



Luxurious looking metal plates with wide selection of finishes



Compatible with our versatile lion module



Double earth terminals for safer sockets



1.2mm super slim profile face plate that is both compact and sleek



G202-2-BPB
10A 2 Gang 2 Way Toggle Switch



G8513SD-WSS
13A 2 Gang Switched Socket



G251-2-BPC
1 Gang 2 Way Switch



G2-3KT-BBZ
30A 230V Key Card Switch with time delay



G801USB-WSS
1 Gang USB Power Charger



G2C-DMB-WPN
4A Bell Switch with "Do Not Disturb"
+ "Make Up Room" indicator













G801-TV - BPG
1 Gang TV Socket with surge protection



G2-AL 3A Alarm Switch

T&J now manufactures a completely new option for alarm controls in buildings. Just turn the key and press the red button to trigger the alarm. Press the button again to switch off the alarm. This product is also available in our Titanium, Classy, Deco and Radiance switch plate designs.

Switches			
Product	Model No.	Description	Remarks
	G251 G251-2 G221 G2515 G220 G232	10A 1 Gang 1 Way Switch 10A 1 Gang 2 Way Switch 10A 1 Gang 2 Way Shutter Switch 10A 1 Gang Intermediate Switch 20A 1 Gang DP Switch 32A 1 Gang DP Switch	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 50
	G220L G232L	20A 1 Gang DP Switch with neon 32A 1 Gang DP Switch with neon	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G220FO G232FO	20A 1 Gang DP Switch with flex outlet 32A 1 Gang DP Switch with flex outlet	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G220LFO G232LFO	20A 1 Gang DP Switch with flex outlet + neon 32A 1 Gang DP Switch with flex outlet + neon	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G245D	45A 1 Gang DP Switch	Nominal plate size: 146 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	G245DL	45A 1 Gang DP Switch with neon	Nominal plate size: 146 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	G252 G252-2	10A 2 Gang 1 Way Switch 10A 2 Gang 2 Way Switch	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G253 G253-2	10A 3 Gang 1 Way Switch 10A 3 Gang 2 Way Switch	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G254 G254-2	10A 4 Gang 1 Way Switch 10A 4 Gang 2 Way Switch	Nominal plate size: 146 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G256 G256-2	10A 6 Gang 1 Way Switch 10A 8 Gang 2 Way Switch	Nominal plate size: 146 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Switches			
Product	Model No.	Description	Remarks
	G201 G201-2	10A 1 Gang 1 Way Toggle Switch 10A 1 Gang 2 Way Toggle Switch	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G2130A	10A 1 Gang Intermediate Toggle Switch	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G202 G202-2	10A 2 Gang 1 Way Toggle Switch 10A 2 Gang 2 Way Toggle Switch	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G203 G203-2	10A 3 Gang 1 Way Toggle Switch 10A 3 Gang 2 Way Toggle Switch	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G204 G204-2	10A 4 Gang 1 Way Toggle Switch 10A 4 Gang 2 Way Toggle Switch	Nominal plate size: 146 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G251A	10A 1 Gang 1 Way Large Rocker Switch	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G252A	10A 2 Gang 1 Way Large Rocker Switch	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G254B	45A Cooker Control Unit + 13A Switched Socket	Nominal plate size: 146 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	G254BL	45A Cooker Control Unit + 13A Switched Socket with neon	Nominal plate size: 146 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1

Retractive Switches			
Product	Model No.	Description	Remarks
	G2510	10A 1 Gang Bell Switch	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G2561 G2561-2	10A 1 Gang 1 Way Retractive Switch 10A 1 Gang 2 Way Retractive Switch	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G2562 G2562-2	10A 2 Gang 1 Way Retractive Switch 10A 2 Gang 2 Way Retractive Switch	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G2563 G2563-2	10A 3 Gang 1 Way Retractive Switch 10A 3 Gang 2 Way Retractive Switch	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G2564 G2564-2	10A 4 Gang 1 Way Retractive Switch 10A 4 Gang 2 Way Retractive Switch	Nominal plate size: 146 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G2566	10A 6 Gang 1 Way Retractive Switch	Nominal plate size: 146 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G2561A	10A 1 Gang 1 Way Retractive Switch with LED Indicator	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G2562A	10A 2 Gang 1 Way Retractive Switch with LED Indicator	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Dimmers			
Product	Model No.	Description	Remarks
	G2521-250 G2521-2-250 G2521-400 G2521-2-400	250W 230V 1 Gang Dimmer (rotate on / off) 250W 230V 1 Gang 2 Way Dimmer (push on / off) 400W 230V 1 Gang Dimmer (rotate on / off) 400W 230V 1 Gang 2 Way Dimmer (push on / off)	Nominal plate size: 86 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps

Dimmers			
Product	Model No.	Description	Remarks
	G2522-250 G2522-2-250 G2522-400 G2522-2-400	250W 230V 2 Gang Dimmer (rotate on / off) 250W 230V 2 Gang 2 Way Dimmer (push on / off) 400W 230V 2 Gang Dimmer (rotate on / off) 400W 230V 2 Gang 2 Way Dimmer (push on / off)	Nominal plate size: 86 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps
	G2523-250 G2523-2-250 G2523-400 G2523-2-400	250W 230V 3 Gang Dimmer (rotate on / off) 250W 230V 3 Gang 2 Way Dimmer (push on / off) 400W 230V 3 Gang Dimmer (rotate on / off) 400W 230V 3 Gang 2 Way Dimmer (push on / off)	Nominal plate size: 146 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps
	G2524-250 G2524-2-250 G2524-400 G2524-2-400	250W 230V 4 Gang Dimmer (rotate on / off) 250W 230V 4 Gang 2 Way Dimmer (push on / off) 400W 230V 4 Gang Dimmer (rotate on / off) 400W 230V 4 Gang 2 Way Dimmer (push on / off)	Nominal plate size: 146 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps
	G211-M2 G211-1KM2	630W 230V 1 Gang Dimmer (rotate on / off) 1000W 230V 1 Gang Dimmer (rotate on / off)	Nominal plate size: 86 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps

Fan Controls			
Product	Model No.	Description	Remarks
	G211-M3	400VA 230V 1 Gang Fan Control (rotate on / off)	Nominal plate size: 86 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans
	G2521-LV250 G2521-LV400	250VA 230V 1 Gang Fan Control (rotate on / off) 400VA 230V 1 Gang Fan Control (rotate on / off)	Nominal plate size: 86 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans
	G2522-LV250 G2522-LV400	250VA 230V 2 Gang Fan Control (rotate on / off) 400VA 230V 2 Gang Fan Control (rotate on / off)	Nominal plate size: 86 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans
	G2523-LV250 G2523-LV400	250VA 230V 3 Gang Fan Control (rotate on / off) 400VA 230V 3 Gang Fan Control (rotate on / off)	Nominal plate size: 146 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans
	G2524-LV250 G2524-LV400	250VA 230V 4 Gang Fan Control (rotate on / off) 400VA 230V 4 Gang Fan Control (rotate on / off)	Nominal plate size: 146 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with fans

Fan Controls			
Product	Model No.	Description	Remarks
	G2-M4	2A 230V 1 Gang Electronic Fan Control with speed indicator	Nominal plate size: 86 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 For fan speed control of central A/C.

BS Sockets			
Product	Model No.	Description	Remarks
	G8502	2A 1 Gang Socket	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8505	5A 1 Gang Socket	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8513	13A 1 Gang Socket	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8513S G8513S-DP	13A 1 Gang Switched Socket 13A 1 Gang DP Switched Socket	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	G8513SL G8513SL-DP	13A 1 Gang Switched Socket with neon 13A 1 Gang DP Switched Socket with neon	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8513D	13A 2 Gang Socket	Nominal plate size: 146 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 5
	G8513SD G8513SD-DP	13A 2 Gang Switched Socket 13A 2 Gang DP Switched Socket	Nominal plate size: 146 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8513SDL G8513SDL-DP	13A 2 Gang Switched Socket with neon 13A 2 Gang DP Switched Socket with neon	Nominal plate size: 146 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

BS Sockets			
Product	Model No.	Description	Remarks
	G8515S G8515SL	15A 1 Gang Switched Socket 15A 1 Gang Switched Socket with neon	Nominal plate size: 86 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5

Schuko Sockets			
Product	Model No.	Description	Remarks
	G827	16A 1 Gang 2 Pin + Earth German Socket	Nominal plate size: 86 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 5
	G8116V	16A 1 Gang 2 Pin + Earth French Socket	Nominal plate size: 86 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1

Universal Sockets			
Product	Model No.	Description	Remarks
	G818S	10A 1 Gang 2 Pin + Earth Universal Socket	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G610U2	10A 2 Gang 2 Pin Socket	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Audio and Video Products			
Product	Model No.	Description	Remarks
	G801-SB	1 Gang Speaker Socket (banana jack)	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G802-SB	2 Gang Speaker Socket (banana jack)	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Multimedia Products			
Product	Model No.	Description	Remarks
	G801USB	1 Gang USB Power Charger	Nominal plate size: 86 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	G802USB	2 Gang USB Power Charger	Nominal plate size: 86 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1

Electronic Switches			
Product	Model No.	Description	Remarks
	G2-IR	1000W 230V IR Motion Detector	Nominal plate size: 86 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	G2-SC* G2-LSC* G2-SCA	100W 230V Voice Activated Switch with time delay 100W 230V Voice Activated Switch with time delay + fire control outlet 100W 230V Voice Activated Switch with time delay (compatible with CFL)	Nominal plate size: 146 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1 Only for use with incandescent lamps and resistive loads*

Hotel Products			
Product	Model No.	Description	Remarks
	G2-AL	3A Alarm	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G2700	1W 220V Night Light	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G2C-DMB	4A Bell Switch with "Do Not Disturb" + "Make Up Room" Indicator	Nominal plate size: 86 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	G2C-DM	"Do Not Disturb" + "Make Up Room" Indicator	Nominal plate size: 86 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1

Hotel Products			
Product	Model No.	Description	Remarks
	G2-3KT	30A 230V Key Card Switch with time delay	Nominal plate size: 86 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	G828	115/230V Shaver Socket with overcurrent protection	Nominal plate size: 146 × 86 mm Minimum wall box depth: 47 mm Pack (carton / box): 20 / 1

Other Products and Accessories			
Product	Model No.	Description	Remarks
	G1111	1 Gang Blank Plate	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G1111D	2 Gang Blank Plate	Nominal plate size: 146 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G6813F	13A Fused Connection Unit	Nominal plate size: 86 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1
	G6813FL	13A Fused Connection Unit with neon	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G6813FS	13A Switched Fused Connection Unit	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G6813FSL	13A Switched Fused Connection Unit with neon	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G6813FFO	13A Fused Connection Unit with flex outlet	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Audio and Video Products

Product	Model No.	Description	Remarks
	G2-V	1 Gang Volume Switch	Nominal plate size: 86 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50 / 1







Television Sockets

Product	Model No.	Description	Remarks
	G8541	1 Gang TV Socket	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8512	2 Gang TV Socket	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8511	1 Gang TV Socket	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8509	1 Gang Sat. TV Socket	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50/5
	G801-TV G801TVO	1 Gang TV Socket with surge protection 1 Gang TV Socket with 1 branch output + surge protection	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G802TV	2 Gang TV Socket with surge protection	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50/5
	802TV-FM	1 Gang TV with surge protection + FM Socket	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8514	1 Gang Sat. TV + TV Socket	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Television Sockets

Product	Model No.	Description	Remarks
	G8542	1 Gang TV + FM Socket	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G802ETV	2 Gang Sat. TV Socket	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G8543	1 Gang Triplex Socket (Sat+TV+FM+BT)	Nominal plate size: 86 × 86 mm Minimum wall box depth: 35 mm Pack (carton / box): 50/5

Telecommunication Products

Product	Model No.	Description	Remarks
	G801-4TU G801-6TU	1 Gang RJ11 Telephone Socket (4 Pin) 1 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G801-PC G811-PC	1 Gang RJ45 Cat.5e Data Socket 1 Gang RJ45 Cat.6 Data Socket	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G801-TM G801-TS	1 Gang BT Master Telephone Socket 1 Gang BT Secondary Telephone Socket	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G802-4TU G802-8TU G804-PC	2 Gang RJ11 Telephone Socket (4 Pin, 2 input 2 output) 2 Gang RJ12 Telephone Socket (6 Pin) 2 Gang RJ12 Telephone Socket (6 Pin)	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G802-PC	2 Gang RJ45 Cat.5e Data Socket	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G801PC-4TU	1 Gang RJ45 Cat.5e Data Socket + RJ11 Telephone Socket (4 Pin)	Nominal plate size: 86 × 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1

Other Products and Accessories			
Product	Model No.	Description	Remarks
	G6813FLFO	13A Fused Connection Unit with flex outlet + neon	Nominal plate size: 86 x 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G6813F5LFO	13A Switched Fused Connection Unit with flex outlet + neon	Nominal plate size: 86 x 86 mm Minimum wall box depth: 25 mm Pack (carton / box): 50 / 1
	G1221	Deco Modular Frame	

Dimensions		Unit: mm
G1111	G1111D	
G1111-Back	G1111D-Back	

Product Code Rules

Ultimate		Coding Rules of G203 - 2 - BPC													
G	20	3 - 2 - B	PC												
			<table border="1"> <tr><td>Finishes</td><td>1</td></tr> <tr><td>Interior color</td><td>2</td></tr> <tr><td>Way</td><td>3</td></tr> <tr><td>Gang</td><td>4</td></tr> <tr><td>Switch type</td><td>5</td></tr> <tr><td>Design collection</td><td>6</td></tr> </table>	Finishes	1	Interior color	2	Way	3	Gang	4	Switch type	5	Design collection	6
Finishes	1														
Interior color	2														
Way	3														
Gang	4														
Switch type	5														
Design collection	6														

Available Options¹

	1	2	3	4	5	6
SS Stainless Steel	B	2	3	20/23	CM	B
PB Polished Brass	Black Interior	2 Way	3 Gang	Toggle Switch	Colossal	Alpine/Exclusif
PC Polished Chrome	W	Blank	1	262/27/21	G	E
BN Black Nickel	White Interior	1 Way	1 Gang	Dimmer Switch	Ultimate	Unique
BZ Bronze			2	25	GC	M
MBR Matt Brass			2 Gang	Normal Switch	Titanium	Metalclad
PN Pearl Nickel			4	256	DK	P
PG Pearl Gold			4 Gang	Retractive Switch	Radiance	Armor
					R	
					Classy	

¹Notes:
Standard colours: PB, PC, SS, MBR, BN, PN
Non-standard colours: PG, BZ
For standard colour lead time is up to 45 days.

Notes:

- *All illustrations and descriptions are only for guidance.
- *The colours and product photos you see in this brochure may vary from the actual products.
- *All T&J products/colours can be customised to satisfy the unique demand of the widest possible range of end-users.
- *T&J Electric reserves the right to change specifications and designs without notice.
- *Use dry soft cloth to clean the surface of the products, cleaning agents may damage the finish.